

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S20 2	8	bean same (automatically near3 (deploy\$3 undeploy\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 16:54
S20 3	435	(container EJB) and (automatically near3 (deploy\$3 undeploy\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 16:55
S20 4	120	S203 and ((directory container EJB) same (automatically near3 (deploy\$3 undeploy\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 16:56
S20 5	22	(Smart near3 directory) and @rlad<="20010921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:58
S20 6	120	S203 and S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 16:57
S20 7	0	S205 and S204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 16:57
S20 8	12	(Smart adj3 directory) and @rlad<="20010921"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:58
S20 9	9049418	"12" not (smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:58

EAST Search History

S21 0	2	S208 not (smart adj card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 16:59
S21 1	0	(bean BEA) same (smart adj (cache proxy directory repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:00
S21 2	9	(bean BEA) and (smart adj (cache proxy directory repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:02
S21 3	3	(bean BEA) and (smart adj2 deploy\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:09
S21 4	0	(automatic\$5 near9 deployment near4 manager) and (J2EE bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:10
S21 5	7	automatic\$5 near9 deploy\$4 near4 (admin\$6 manager) and (J2EE bean)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:14
S21 6	0	(daemon near8 automatically near8 redeploy\$4) with repository	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:15
S21 7	0	(daemon near8 automatically near8 redeploy\$4) same (directory repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:15
S21 8	0	((manager near2 program) near8 automatically near8 redeploy\$4) same (directory repository)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:15
S21 9	0	((manager near2 program) near8 automatically near8 redeploy\$4) same (EJB bean application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:16

EAST Search History

S22 0	0	((program) near8 automatic\$5 near8 redeploy\$4) same (EJB bean application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:16
S22 1	4	((server proxy) near8 automatic\$5 near8 redeploy\$4) same (EJB bean application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/20 17:16
S22 2	10	websphere and EJB and (deploy\$5 same container same automatically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/21 10:01

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

smart directory Weblogic

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 271,000 for **smart directory Weblogic**. (0.25 seconds)**BEA WebLogic Server and WebLogic Express 8.1 Smart Ticket Demo ...**

This patch provides the **WebLogic** Server descriptors that allow you to run the **Smart Ticket Demo on WebLogic Server**. Extract this ZIP file into the **directory ...**
edocs.bea.com/wls/docs81/smarticket/smarticket.html - 22k - [Cached](#) - [Similar pages](#)

Preparing to Install WebLogic Server

If you choose to create a new **directory**, the **WebLogic** Server installation ... For details about using **Smart Update**, see **Installing WebLogic Server Service ...**
edocs.bea.com/wls/docs70/install/instpre.html - 60k - [Cached](#) - [Similar pages](#)
[[More results from edocs.bea.com](#)]

[PDF] SMART Plug-In for WebLogic ServerFile Format: PDF/Adobe Acrobat - [View as HTML](#)

HP OpenView **SMART** Plug-Ins for **WebLogic** Server: User's Guide ... is the **WebLogic** home (WL_HOME) **directory** specified when the **WebLogic** SPI is configured. ...
ovweb.external.hp.com/ovnsmdps/pdf/b9145-88000.pdf - [Similar pages](#)

[PDF] SMART Plug-Ins for Databases A.03.40 Release NotesFile Format: PDF/Adobe Acrobat - [View as HTML](#)

The **SMART** Plug-In for **WebLogic** Server adds the following capabilities to HP ... is the **WebLogic** home (WL_HOME) **directory** specified when the **WebLogic** SPI is ...
docs.hp.com/en/B9145-88000/B9145-88000.pdf - [Similar pages](#)

Guide to Upgrading WebLogic Platform 8.1 SP2 to SP3

Smart Update allows you to install a service pack for the **WebLogic** Platform 8.1 software currently installed in an existing BEA Home **directory**. ...
dev2dev.bea.com/pub/a/2004/10/evalguide_upgrade_readme.html - 44k - [Cached](#) - [Similar pages](#)

Distributing WebLogic Server

Open a command shell and go to the server/bin **directory** for **WebLogic** Server. ... Your customers can then install these patches by running **Smart Update**, ...
e-docs.bea.com/common/docs92/issv/distrib.html - 45k - [Cached](#) - [Similar pages](#)

Uninstalling WebLogic Platform

Uninstalling **WebLogic** Platform does not remove the BEA Home **directory** associated with the ... See **Uninstalling Maintenance Upgrades Using Smart Update** for ...
e-docs.bea.com/platform/docs81/install/uninstal.html - 56k - [Cached](#) - [Similar pages](#)
[[More results from e-docs.bea.com](#)]

Packaged applications - HP OpenView Smart Plug-ins

HP OpenView **Smart** Plug-ins (SPIs) are fully integrated, out-of-the-box solutions ... processes that are defined and executed using BEA **WebLogic** Integration. ...
www.managementsoftware.hp.com/products/spi/index.html - 52k - [Cached](#) - [Similar pages](#)

[PDF] BEA WebLogic Components Hands-On Technical TourFile Format: PDF/Adobe Acrobat - [View as HTML](#)

the src\examples\buybeans\tour **directory** under the **WebLogic** Components. installation **directory**. This file is one of several generated by the BEA **Smart ...**
edocs.beasys.com/wlac/pdf/comptour.pdf - [Similar pages](#)

[PDF] ***5990-5494***

File Format: PDF/Adobe Acrobat - [View as HTML](#)

HP OpenView **Smart** Plug-in for Microsoft Active **Directory** version B.02.00. • HP

OpenView **Smart** Plug-in for BEA **WebLogic** Server version B.02.05 ...

www.hp.com/software/releases/releases-media2/discon/5990-5494.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

smart directory Weblogic automatically deploy

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 63,100 for **smart directory Weblogic automatically deploy**. (0.31 seconds)**BEA WebLogic Server and WebLogic Express 8.1 Smart Ticket Demo ...**

The instructions below describe how to download **Smart** Ticket and J2ME, how to create a **WebLogic** Server domain for **Smart** Ticket, and how to build and **deploy** ...
edocs.bea.com/wls/docs81/smarticket/smarticket.html - 22k - [Cached](#) - [Similar pages](#)

Preparing to Install WebLogic Platform

If you choose to create a new **directory**, the **WebLogic** Platform installation program **automatically** creates the **directory** for you. ...
edocs.bea.com/platform/docs81/install/prepare.html - 99k - [Cached](#) - [Similar pages](#)
[[More results from edocs.bea.com](#)]

smart-ticket: Default Project Content

Step 4: Build and **Deploy** **Smart** Ticket. Step 5: Use **Smart** Ticket ... run the **Smart** Ticket Demo on **WebLogic** Server. Extract this ZIP file into the **directory** ...
https://smart-ticket.projects.dev2dev.bea.com/ - 44k - [Cached](#) - [Similar pages](#)

Post-Installation Information

This domain allows you to run pre-built **WebLogic** Server code samples, **deploy** J2EE applications, and quickly serve JSPs or HTML pages. ...
e-docs.bea.com/common/docs92/install/postins.html - 38k - [Cached](#) - [Similar pages](#)

[PDF] SMART Plug-In for WebLogic Server

File Format: PDF/Adobe Acrobat - [View as HTML](#)
messages, **automatic** actions, or operator actions, wherever appropriate. ... is the **WebLogic** home (WL_HOME) **directory** specified when the **WebLogic** SPI is ...
ovweb.external.hp.com/ovnsmdps/pdf/b9145-88000.pdf - [Similar pages](#)

Out with the Old, In with the New: Porting to WebLogic Server 7.0

Smart compilation is a new feature of the **weblogic.ejbc** utility in **WebLogic** Server 7.0. ... **deploy**, or run the ported Java **Smart** Ticket application. ...
dev2dev.bea.com/pub/a/2002/07/439.html - 50k - [Cached](#) - [Similar pages](#)

BEA WebLogic Workshop reviewed by PC Magazine

Integration with the server is tight, and you can **automatically** **deploy**, test, and debug Web ... Keep files within the same **directory** on the same DVD or CD. ...
www.pcmag.com/article2/0,1759,587899,00.asp - 113k - [Cached](#) - [Similar pages](#)

Automatically Installing Applications After a Cold Boot ...

CAB files placed in the application **directory** will be **automatically** run on a hard reset but ... **Smart** Client Application Development Using PowerBuilder 11.0 ...
pbdj.sys-con.com/read/195262.htm - 75k - [Cached](#) - [Similar pages](#)

[PDF] BEA WebLogic Server Clustering White Paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)
WebLogic **automatically** multiplexes a single client connection across ... servers, **BEA** **WebLogic** does not require that the user **deploy** a particular Web server ...
eudownload.bea.com/fr/actualites/clustering.pdf - [Similar pages](#)

ACM Queue Developer Tools Directory

New features include the ability to **deploy** Tcl applications such as starkits and ... including

WebLogic 9, WebSphere, JBoss, and more, makes web application ...
acmqueue.com/devtools.php?cat_id=6 - 33k - [Cached](#) - [Similar pages](#)

Google Groups results for smart directory Weblogic automatically deploy



[Why ebjc?](#) - weblogic.developer.interest.ej ... - Jul 2, 2001

[Faulkner Systems Flash 03/01/2000 - \(Part 1 of 2\)](#) - cmu.ece.general - Mar 2, 2000

[System News for Sun Users Vol 42 Issue 4: August 27 ...](#) - alt.sys.sun - Sep 1, 2001

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

directory Weblogic automatically undeploy sm

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 334 for **directory Weblogic automatically undeploy smart**. (0.35 seconds)**Upgrading WebLogic Integration 8.1 SP3 or SP4 to WebLogic ...**

For example, on Windows if you installed **WebLogic** Integration 8.1 SP4 in the c:/bea **directory** and then used the **Smart Update** to upgrade that installation to ...
edocs.bea.com/wli/docs81/upgrade/roadmap.html - 55k - [Cached](#) - [Similar pages](#)

WebLogic Server 7.0 Features and Changes

In addition, **WebLogic** Server will use XA to **automatically** enlist the ... See the BEA Home **Directory** section in the **WebLogic** Server Installation Guide for ...
edocs.bea.com/wls/docs70/notes/new.html - 126k - [Cached](#) - [Similar pages](#)
[[More results from edocs.bea.com](#)]

[PDF] HP OpenView Smart Plug-ins brochure Solutions for application ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
obtained by purchasing either the **Smart** Plug-in for the BEA **WebLogic ... Automatically** creates and tracks Remedy Action Requests from HP OpenView ...
www.managementsoftware.hp.com/products/spi/pb/spi_pb_solutions.pdf - [Similar pages](#)

[PDF] Products

File Format: PDF/Adobe Acrobat - [View as HTML](#)
When upgrading your domain, **undeploy** all 8.1 **WebLogic** Portal and **WebLogic** Workshop ... refers to the top-level installation **directory** for **WebLogic** Server). ...
e-docs.bea.com/common/docs92/pdf/upgrade.pdf - [Similar pages](#)

Strategies for WebLogic Domain Configuration @ WEBLOGIC JOURNAL

WebLogic Server installation also includes Ant. Ant is **automatically** set up when ... The wldesploy Ant task is used to deploy and **undeploy** the application. ...
weblogic.sys-con.com/read/48221.htm - 89k - [Cached](#) - [Similar pages](#)

[PDF] WebLogic Platform

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Understanding the **WebLogic** Platform Product **Directory** Structure. ... java
weblogic.deploy [list|deploy|undeploy|update]. password {application} {source} ...
cgi.bea.com/platform/docs70/pdf/install.pdf - Supplemental Result - [Similar pages](#)

JAVA-ACCESS archives -- May 2004 (#12)

Directory view project node with project - aware file support Code formatting **Smart automatic** code formatting . . . Set indenting
archives.java.sun.com/cgi-bin/wa?A2=ind0405&L=java-access&D=1&P=1321 - 70k -
Supplemental Result - [Cached](#) - [Similar pages](#)

Pramati Server 3.5 Release Notes

Migration utility for **WebLogic** 6.1, 7.0 archives now available inside Deploy Tool. ...
Applications **undeploy automatically** when their virtual host is either ...
www.pramati.com/docstore/1210007/psv35relnotes.htm - 40k - [Cached](#) - [Similar pages](#)

Eclipse plugin development tools for Java, JSP, XML, Struts, HTML ...

Ability to edit any JSP file regardless of **directory** location ... project can be configured to be **automatically** packaged for deployment of the web project ...
myeclipseide.com/modules.php?op=modload&name=News&file=index&catid=1 - 155k -
Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] [Solutions brochure_FNL.qxd](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Automatic association of Tuxedo system error manual to user logs. • Management for all applications built on top of BEA **WebLogic** via JMX. interface ...

[h41111.www4.hp.com/management/uk/en/dataSheets/bam/ALL_OpenView_SPIs.pdf](#) -

[Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

tuanvu2112@hotmail.com | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Google

EJB container automatically undeploy smart

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 368 for **EJB container automatically undeploy smart**. (0.45 seconds)**[PDF] Automatic Failure-Path Inference: A Generic Introspection ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Third, we modified the **EJB container** so that, when, an exception is thrown by an **EJB**, ...
ure, for example, restarting the database and **undeploy**- ...swig.stanford.edu/~candea/papers/afpi/afpi.pdf - [Similar pages](#)**Pramati Server 3.5 Release Notes****EJB Container**. Total RMI threads inside the server VM can be controlled now. ...Applications **undeploy automatically** when their virtual host is either ...www.pramati.com/docstore/1210007/psv35relnotes.htm - 40k - [Cached](#) - [Similar pages](#)**Application Server 4**Support for **automatic** discovery of the nearest **Smart Agent** by **EJB containers**. x.Support for **automatic** discovery of the nearest **Smart Agent** by **EJB client** ...www.consist.it/appserv4.htm - 153k - [Cached](#) - [Similar pages](#)**Intelligent Enterprise Magazine - Product Review**FIGURE 2 WebSphere lets you completely customize **EJB containers** from the ... You can
also use this window to **undeploy** or redeploy previously deployed jar ...

www.intelligententerprise.com/db_area/archives/1999/990308/products.jhtml - 26k -

[Cached](#) - [Similar pages](#)**EJB performance tips**24/7 availability needs the ability to hot-deploy and **undeploy** new applications and ... Using
the underlying **EJB container** to manage complex aspects such as ...www.javaperformancetuning.com/tips/j2ee_ejb.shtml - 62k - [Cached](#) - [Similar pages](#)**JAVA-ACCESS archives -- May 2004 (#12)**Code formatting **Smart automatic** code formatting . . . Set indenting . . . Local and remoteHot - Deploy deployment to running **EJB container** . . .

archives.java.sun.com/cgi-bin/wa?A2=ind0405&L=java-access&D=1&P=1321 - 70k -

Supplemental Result - [Cached](#) - [Similar pages](#)**[PDF] Borland JBuilder 2006**File Format: PDF/Adobe Acrobat - [View as HTML](#)Design flaw audits. CODE FORMATTING. **Smart automatic** code formatting ... Local and
remote Hot-Deploy deployment to running **EJB container** ...

www.borland.com/resources/en/pdf/products/jbuilder/jb2006_feature_matrix.pdf -

[Similar pages](#)**ONJava.com -- Clustering with JBoss 3.0**An example is the list of RMI connections used by clustered **EJB smart** proxies. ... Since
nodes in a JBoss cluster **automatically** discover the existence of ...

www.onjava.com/pub/a/onjava/2002/07/10/jboss.html?page=2 - 29k -

[Cached](#) - [Similar pages](#)**[PDF] Release Notes**File Format: PDF/Adobe Acrobat - [View as HTML](#)The Java™ **Smart** Ticket Sample Application does not work on the Solaris x86 platform. ...**Web Container**. • **EJB Container**. • **Container-Managed Persistence** ...

192.18.109.11/819-3233/819-3233.pdf - Supplemental Result - [Similar pages](#)

WebLogic Server 7.0 Features and Changes

EJB Cache Size Trimming. You can now configure **automatic** trimming of ... the **EJB container** waits before removing an idle stateful session **EJB** from disk. ...
edocs.bea.com/wls/docs70/notes/new.html - 126k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google